



Dutro

COMPANY Designed for constant commercial use.

Since its inception in 1945, Dutro Company has made quality and service our primary goals. We have thousands of satisfied customers who know from experience, the reliability of Dutro products.

Our plant in Logan, Utah, manufactures a complete selection of material handling equipment. Custom fabrication is our specialty. We will build items tailored to your needs or modify a catalog item in large or small quantities. We are committed to continuing the high quality and personal service on which our reputation has been built.

With over 60 years of manufacturing experience, Dutro steel delivery trucks have become the industry standard with its axle welded to the frame for extra stability.

We offer many different styles of hand trucks to suit your particular need. You can choose from a variety of handle and toe plate designs.

All of our steel delivery trucks are electro-statically powder coated.

INDEX

Appliance	1	Salesman Truck	61
Beverage	8	Service	65
Convertible	13	Shovel Nose Truck	69
Curb Ramp	16	Specialty	72
Silverline / Cylinder Trucks	18	Stocking Cart	76
Delivery	27	Vending Machine	82
Drum Handling	35	Toe Plate	88
Mattress	41	Wheels	90
Piano	45	Replacement Parts	94
Platform	51		
Retail	54		

Dutro Company is committed to providing its customers with the market's finest products. When we discover a way to improve an existing product, that value is passed along to our customers. The items represented in this catalog may differ from their presentation. All dimensions are approximate and may vary. Dimension changes may be made without notice.

Dutro Company carefully checks all products prior to shipment to ensure fitness for service. However, by the nature of their use, these products are subject to wear and tear and, often times, abuse. It is the responsibility of the owner/user to check over the hand truck or cart prior to use and to make repairs as required. Dutro Company takes no responsibility for personal injury or property damage that may occur while using a defective product.

CUSTOM FABRICATION

Dutro welcomes the opportunity to bid modified or custom carts and projects. With over 100,000 sq. feet of state-of-the-art manufacturing equipment, we can handle even large quantity custom work. With our own in-plant five stage washer and powder coat system, we can control quality and lead times. Our experienced staff can help design, modify and bid your new or existing projects. Please contact your local distributor to discuss your material handling needs.

DELIVERY

Dutro delivery line is recommended for the route driver who depends on the durability and versatility of his handtruck. Wide variety of wheel options for all delivery conditions combined with Dutro's unique handle design makes Dutro the best delivery handtrucks available on the market. All axles are welded to the frame for extra stability Toeplates can be specifically sized for your needs.

COMMITMENT

Dutro Company is committed to providing it's customers with the market's finest products. When we discover a way to improve an existing product, that value is passed along to our customers. The items represented in this catalog may differ from their presentation. All dimensions are approximate.

Dutro Company carefully checks all products prior to shipment to ensure fitness for service. However, by the nature of their use, these products are subject to wear and tear and, often times, abuse. It is the responsibility of the owner/user to check over the hand truck or cart prior to use and to make repairs as required. Dutro Company takes no responsibility for personal injury or property damage that may occur while using a defective product.

APPLIANCE

Designed to make moving appliances easier, the new belt systems and swing out options put Dutro's appliance trucks on top of the market in durability, design and function. The new one belt retract system allows you to do the job easier.

1291, 1292, 1293	2
1404	3
1420SO	4
1504	5
1509	6
1900, 1900P	7



1291, 1292, 1293

This truck features a special mechanism - 1 frame 3 different strap styles possible. You can swap out the ratchet strap style, the one piece offset strap, or the two piece offset strap on the same frame with no welding needed.

Specifications

Capacity	700 lbs
Weight	57 lbs (with ratchet)
Size	58-5/8"H x 23-1/2"W x 13-1/2"L

Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"

Solid Rubber Wheel



Special Features

- 1-piece strap
- Also available in 2-piece or ratchet strap

Toe Plate Size

4-1/2" clear x 27-1/2" wide x 10 gauge



1404

One belt geared ratchet for quicker, easier use.

Specifications

Capacity	700 lbs
Weight	64.2 lbs
Size	58-5/8"H x 23-1/2"W x 13-1/2"L

Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"
Solid Rubber Wheel



Special Features

Geared Ratchet
Also available with swing out option 1404S0

Toe Plate Size

4-1/2" clear x 27-1/2" wide x 10 gauge
--



1420SO

Our heavy duty appliance trucks are now available with a swing out option to ease the amount of stress on back and legs. Perfect for the professional mover this option will speed up loading and unloading of hard to move items.

Specifications

Capacity	700 lbs
Weight	82.2 lbs
Size	58-5/8"H x 23-1/2"W x 13-1/2"L

Toe Plate Size

4-1/2" clear x 27-1/2" wide x 10 gauge
--

Swing Out

50" x 42-7/8"

Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"

Solid Rubber Wheel



Part # W-C4SP

4" Swivel Pin Caster

1/2" X 13 X 1-1/2" Stem

4"X1-1/4" X 3/8" Ball bearing gray non-marking rubber wheel



Opening Swing Out

1. Pull and hold "T" handle to release swing out.
2. Raise small wheel assembly into locking position.
3. Release "T" handle and tilt truck into 4 wheel position.

Closing Swing Out

1. Raise truck into upright position. With foot, push axle forward. Lower small wheel assembly into locking position.
2. Rotate casters into locking position.



1504

Specifications

Capacity	700 lbs
Weight	52.8 lbs
Size	58-1/2"H x 23-1/2"W x 10"L

Special Features

Geared Ratchet

Toe Plate Size

4-3/8" clear x 23-1/2" wide x 10 gauge



Part # W-M52

5" X 2" X 5/8"

Mold-on Rubber Wheel



1509

Specifications

Capacity	700 lbs
Weight	53.4 lbs
Size	58-1/2"H x 23-1/2"W x 10"L

Toe Plate Size

4-3/8" clear x 23-1/2" wide x 10 gauge
--

Special Features

Offset handle

Part # W-M52

5" X 2" X 5/8"
Mold-On Rubber Wheel



1900,1900P



Specifications

Capacity	700 lbs
Weight	58.6 lbs
Size	48-1/8"H x 28-3/8"W x 40-1/2"L

Special Features

All terrain appliance truck
14' strap with buckle

Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

Part # W-N12

12" X 3-1/2" X 3/4"
Pneumatic Wheel




Part # W-SP12

12" X 3" X 3/4"
Polyurethane Foam
Flat Free Wheel



BEVERAGE

BEV58B	9
BEV58B-CL	10
BEV64B	11
BEV64B-CL	12



*Actual wheels may vary

BEV58B

Specifications

Capacity	800 lb
Weight	36.6 lb
Size	58-5/8"H x 15-3/8"W x 16-1/8"L


Part # W-M82-B34

8" X 2" X 3/4"
Mold-on Rubber Wheel




Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick



•Actual wheels may vary



BEV58B-CL

Specifications

Capacity	800 lbs
Weight	42.2 lb
Size	58-5/8"H x 15-3/8"W x 16-1/8"L

Toe Plate Size


6-1/2" clear x 14" wide x 3/16" thick

Part # W-M82-B34

8" X 2" X 3/4"
Mold-on Rubber Wheel



•Actual wheels may vary



BEV64B

Specifications

Capacity	800 lbs
Weight	Weight: 41.4 lb
Size	64-1/2"H x 15-3/8"W x 16-1/8"L

Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick

Part # W-M82-B34

8" X 2" X 3/4"
Mold-On Rubber Wheel



*Actual wheels may vary

BEV64B-CL

Specifications

Capacity	800 lbs
Weight	44 lb
Size	64-1/2"H x 15-3/8"W x 16-1/8"L

Toe Plate Size

6-1/2" clear x 14" wide x 3/16" thick

Part # W-M82-B34

8" X 2" X 3/4"
Mold-On Rubber Wheel



*Actual wheels may vary

CONVERTIBLE

120M	14
122M	15



*Actual wheels may vary

120M (3-way)

Specifications

Capacity	800 lb
Weight	59.8 lbs
Size	51-3/8"H x 20"W

Toe Plate Size

9" clear x 14" wide x 1/4" thick

Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



Part # W-C4SP

4" Swivel Pin Caster

1/2" X 13 X 1-1/2" Stem

4"X1-1/4" X 3/8" Ball bearing gray non-marking rubber wheel



45° Tilt

1. Rotate locking mechanism, lean handle backwards, and lower the deck and rear casters to snap into 45° position

Platform

1. Release spring loaded pin to shift into platform position



•Actual wheels may vary

122M (2-way)



Specifications

Capacity	600 lbs
Weight	51 lbs
Size	50-3/8"H x 20"W

Toe Plate Size

9" clear x 14" wide x 1/4" thick



Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Part # W-C4SP

4" Swivel Pin Caster
1/2" X 13 X 1-1/2" Stem
4"X1-1/4" X 3/8" Ball bearing gray non-marking rubber wheel



*Actual wheels may vary

?

Platform

1. Rotate locking mechanism, lean handle backwards and lower the deck and casters to the horizontal position

CURB RAMP

CR24X26

17

CR-24X26

Specifications

Capacity	800 lb
Weight	17 lb
Size	25-1/2"W x 23-7/8"L

Special Features

Made From Treadbrite Aluminum



SILVERLINE / CYLINDER

950	19
960	20
D-4WS-CYKO	21
D-CYKO	22
D-LC126, D-LC126N	23
D-LCA126, D-LCA126N	24
R-DTT10S	25
R-UWC 150V	26



*Actual wheels may vary

950 CYLINDER TRUCK

Specifications

Capacity	500 lb
Weight	30.6 lbs
Size	49"H x 17-7/8"W x 13-1/4"L

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Toe Plate Size

5" clear x 12" wide x 3/16" thick

Special Features

Two-wheel Cylinder Truck



•Actual wheels may vary



960 - 5 GALLON PAIL TRUCK

Specifications

Capacity	800 lbs
Weight	31.6 lbs
Size	52-1/2"H x 17-3/4"W x 17-7/8"L

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Toe Plate Size

7" clear x 13" wide x 1/4" thick

Special Features

5 Gallon Pail Truck

*Actual wheels may vary



D-4WS-CYKO

Specifications

Capacity	700 lbs
Weight	48 lbs
Size	48.5"H x 23"W

Toe Plate Size

7-1/2" clear x 17-1/2" wide 1/4" thick

Special Features

Field tested kick-off mechanism for easy cylinder removal



Part # W-SP10

10" X 3-1/2" X 5/8"
Flat Free Wheel



Kick-Off Mechanism

1. Simply push cylinders slightly forward while pressing on kick-off pedal to slide truck from out underneath bottles.

D-CYKO



Specifications

Capacity	650 lbs
Weight	48 lbs
Size	48.5"H x 23"W

Toe Plate Size

7-1/2" clear x 17-1/2" wide x 1/4" thick

Special Features

Field-tested kick-off mechanism for easy cylinder removal

Part # W-SP10

10" X 3-1/2" X 5/8"
Polyurethane Foam Wheel



Part # W-N10

10" X 3-1/2" X 5/8"
Pneumatic Wheel



Kick-Off Mechanism

1. Simply push cylinders slightly forward while pressing on kick-off pedal to slide truck from out underneath bottles.

*Actual wheels may vary

D-LC126, D-LC126N

Specifications

Capacity	900 lbs
Weight	78 lbs
Size	58"H x 26"W

Toe Plate Size

7" clear x 13" wide x 1/4" thick

Special Features

5 Gallon Pail Truck

Part # W-SP12

13" X 2-1/2" X 3/4"
Polyurethane Foam Wheel



Part # W-N12

12" X 3-1/2" X 5/8"
Pneumatic Wheel



*Actual wheels may vary

D-LCA126, D-LCA126N

Specifications

Capacity	900 lbs
Weight	78 lbs
Size	58"H x 26"W

Toe Plate Size

7" clear x 13" wide x 1/4" thick

Special Features

5 Gallon Pail Truck

Part # W-SP12

13" X 2-1/2" X 3/4"
Polyurethane Foam Wheel




Part # W-N12

12" X 3-1/2" X 5/8"
Pneumatic Wheel



*Actual wheels may vary

R-DTT10S TORCH TRUCK



Specifications

Capacity	600 lbs
Weight	37 lbs
Size	49"H x 26"W

Toe Plate Size

10" clear x 21" wide

Part # W-S102.75

10" X 2-3/4" X 5/8"
Solid Rubber Wheel



R-UWC 150V UTILITY WELD TRUCK

Specifications

Capacity	300 lbs
Weight	30.8 lbs
Size	32-3/4" H x 13-1/2" W

Part # W-C3SPUWC

6" x 2"
Polyurethane Wheels

Part # W-UWC62

3" Swivel Casters



STEEL DELIVERY

Dutro delivery line is recommended for the route driver who depends on the durability and versatility of his handtruck. Wide variety of wheel options for all delivery conditions combined with Dutro's unique handle design makes Dutro the best delivery handtrucks available on the market. All axles are welded to the frame for extra stability.

Special Features for Steel Delivery Trucks

- Folding Nose
- Heavy Duty
- Keg Hook
- Skid Stiffeners
- Wheel Guards

100	28
100-DLX55	29
100-DLX60	30
48PMP	31
510PSP	32
58PSDL	33
58PMP	34
58PMP-HD	35



*Actual wheels may vary

100 DELIVERY

Specifications

Capacity	800 lbs
Weight	35.4 lbs
Size	54-5/8"H x 17-5/8"W x 15-3/4"L

Part # W-M82-B58

8"X 2" X 5/8"
Mold-On Rubber Wheel




Toe Plate Size

7" clear x 13" wide x 1/4" thick



Instructions

1. Spot and level the load
2. Step down on EZE-OFF bar
3. Truck slides out from underneath the load



*Actual wheels may vary

100-DLX55 DELIVERY

100-DLX-55 EZE-OFF handtrucks come with wheel guards, skid stiffeners and 17 1/2" wide toe plate. Available in 55" frame.

Specifications

Capacity	800 lbs
Weight	41.2 lbs
Size	54-1/2"H x 17-3/4"W x 15-3/4"L

Part # W-M82-B58

8"X 2" X 5/8"
Mold-On Rubber Wheel



Toe Plate Size


7" clear x 17-1/2" wide x 1/4" thick



Instructions

1. Spot and level the load
2. Step down on EZE-OFF bar
3. Truck slides out from underneath the load

*Actual wheels may vary



•Actual wheels may vary

100-DLX60 DELIVERY

100-DLX-55 EZE-OFF handtrucks come with wheel guards, skid stiffeners and 17 1/2" wide toe plate. Available in 60" frame.

Specifications

Capacity	800 lbs
Weight	42 lbs
Size	60-3/8"H x 17-3/4"W x 15-3/4"L

Toe Plate Size

7" clear x 17-1/2" wide x 1/4" thick

Part # W-M82-B58

8"X 2" X 5/8"

Mold-On Rubber Wheel



Instructions

1. Spot and level the load
2. Step down on EZE-OFF bar
3. Truck slides out from underneath the load



48PMP DELIVERY

Specifications

Capacity	800 lbs
Weight	30.4 lbs
Size	46-1/8"H x 17-5/8"W x 15-3/4"L

Toe Plate Size

7" clear x 13" wide x 1/4" thick

Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



Actual wheels may vary

510PSP DELIVERY



Specifications

Capacity	540 lbs
Weight	36.4 lbs
Size	54-3/4"H x 21"W x 18"L

Toe Plate Size

7" clear x 13" wide x 1/4" thick

Part # W-PR1037

10"X3.58"2-1/4" offset hub 5/8
Flat Free Foam Field Wheel



Part # W-S102.75

10" X 2-3/4" X 5/8"
Solid Rubber Wheel



*Actual wheels may vary

58PSDL DELIVERY

Specifications

Capacity	800 lbs
Weight	34 lbs
Size	54-3/4"H x 17-5/8"W x 15-3/4"L

Toe Plate Size

7" clear x 13" wide x 1/4" thick

Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"

Solid Rubber Wheel



•Actual wheels may vary

58PMP, 58PMP-12 DELIVERY

Specifications

Capacity	800 lbs
Weight	32.2 lbs
Size	54-3/4"H x 17-5/8"W x 15-3/4"L

Toe Plate Size : 58PMP

7" clear x 13" wide x 1/4" thick

Toe Plate Size : 58PMP-12

12" clear x 13" wide x 1/4" thick

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel




Part # W-S8.52.5

8-1/2" X 2-1/2" X 5/8"
Solid Rubber Wheel



• Actual wheels may vary



58PMP-HD DELIVERY

Specifications

Capacity	900 lbs
Weight	37.4 lbs
Size	55"H x 17-5/8"W x 15-3/4"L

Toe Plate Size

7" clear x 13" wide x 1/4" thick

Special Features

3/4" Heavy Duty Pipe Frame, Skid Stiffeners
3/4" Axle

Part # W-M82-B34

8" x 2" x 3/4" Mold on Rubber Wheel
3/4" Ball Bearing
Black Rubber (Hard Rubber) On Plastic Hub
Smooth Tread
Offset Hub, Hub Length: 2"
Heavy Duty Wheel Capacity: 550 lbs per Wheel



*Actual wheels may vary

DRUM HANDLING

3000	37
3004	38
3023	39
3024	40
3034W	41



3000 DRUM TRUCK

Model 3000 with a floating axle, is designed to handle steel and fiber drums.

Specifications

Capacity	1000 lbs
Weight	63.2 lbs
Size	61-1/2"H x 24-1/8"W x 17-3/4"L

Part # W-M10

10" X 2-1/2" X 1"
Mold-On Rubber Wheel



3004 DRUM TRUCK

Specifications

Capacity	1000 lbs
Weight	76.6 lbs
Size	42-1/4"H x 24-7/8"W x 53-1/4"L

Special Features

4 Wheel Drum

Part # W-M10

10" X 2-1/2" X 1"
Mold-On Rubber Wheel



Part # M62

6" X 2" X 5/8"
Mold-On Rubber Wheel



3023

The Dutro Lowboy Triangular Drum Dolly features a patent pending design to allow the user to roll a dolly underneath a drum without the use of forklifts, drum lifters and other expensive equipment.

Heavy duty casters and heavy gauge steel for years of service. Easy bolt-together design allows for easy storage and quick replacement of parts. Tall clearance height allows for thresholds and large cement cracks.



Specifications

Capacity	700 lbs
Weight	26 lbs
Size	5-5/8"H x 29-3/4"W x 26"L

Part # W-C3SP-3023

10" X 2-1/2" X 1"
3" Swivel Caster
Caster and Wheel



Special Features

- Triangle Drum Dolly
- Heavy Duty casters and heavy gauge steel for years of service.
- Easy bolt-together design allows for easy loading and unloading of drums.

3024 CAN DOLLEY

Specifications

Capacity	700 lbs
Weight	15.2 lbs
Size	6"H x 24"W x 24"L

Part # W-C3S

10" X 2-1/2" X 1"
3" Swivel Caster
Caster and Wheel



Special Features

for 55 gallon drums.





3034W DRUM CRADLE

Specifications

Capacity	700 lbs
Weight	26.4 lbs
Size	23-1/2"H x 16-3/8"W x 43-1/8"L

Special Features

Drum Cradle

Part # W-W31A

3" X 1" X 3/8"

Aluminum Wheel

MATTRESS CART

2041-PT	43
2041-PT-W/O	44



2041-PT MATTRESS CART

Pillow-top Mattress Cart

Specifications

Capacity	300 lb
Weight	59.2 lbs
Size	45-1/8"H x 29"W x 55"L

Special Features

Also available without center divider
(Part #2041-PT-W/O)

Part # W-C5R

5" Rigid Caster
Caster and Wheel



Part # W-C4S

4" Swivel Caster
Caster and Wheel



2041-PT-W/O MATTRESS CART

Specifications

Capacity	300 lb
Weight	48.2 lbs
Size	45-1/8"H x 29"W x 55"L

Special Features

Also available with centerline



Part # W-C5R

5" Rigid Caster

Caster and Wheel



Part # W-C4S

4" Swivel Caster

Caster and Wheel



PIANO DOLLY

Long regarded as the number one rental appliance dollies, these all steel frame furniture dollies last many times longer than the cheap wood dollies.

1350	46
.....
1354	47
.....
1355	48
.....



1350



Specifications

Capacity	1400 lbs
Weight	21.8 lbs
Size	8-1/2"H x 13-3/4"W x 25"L

Part # W-M52

5" X 2" X 5/8"
Mold-On Rubber Wheel



1354

Specifications

Capacity	1200 lbs
Weight	23.4 lbs
Size	8-7/8"H x 18-3/4"W x 25-1/2"L



Part # W-C5S

5" Swivel Caster

Caster and Wheel



1355

Specifications

Capacity	1300 lbs
Weight	22.6 lbs
Size	8-7/8"H x 13-3/4"W x 25-1/2"L

Special Features

Easy Steering



Part # W-C5S

5" Swivel Caster

Caster and Wheel



Part # W-M52

5" X 2" X 5/8"

Mold-On Rubber Wheel



PLATFORM

All items listed below, with the exception of the PT's, have a removable handle. Standard platform trucks feature rounded corners and recessed handle sockets on all four corners to help protect merchandise, personnel, and buildings. Constructed of 12 gauge material with 2" x 2" x 3/16" angle cross braces for caster mounting.

Any size deck can be furnished on request. In addition, heavy duty casters and wheels can be added to increase load capacity.

Bolt-on Casters

PT's are the only platform truck to come with Casters. However, you can add casters to any platform truck. The ability to replace casters and choose the wheels to best suit your needs is an option few in the industry provide. This will add years to the longevity of your material handling products, quality is always our number one focus!

24x48 D/H	50
27x54 D/H	51
30x60 D/H	52
36x72 D/H	53



24x48 D/H

Specifications

Capacity	1500 lbs
Weight	79.8 lbs
Size	38-1/4"H x 23-3/4"W x 51"L

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Deck

23-3/4" x 47-3/4"

Deck Height

11-5/8"



*Actual wheels may vary

30x60 D/H

Specifications

Capacity	1500 lbs
Weight	111 lbs
Size	38-1/4"H x 29-3/4"W x 63"L

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Deck

29-3/4" x 59-3/4"

Deck Height

11-5/8"



*Actual wheels may vary

27x54 D/H

Specifications

Capacity	1500 lbs
Weight	93.2 lbs
Size	38-1/4"H x 26-3/4"W x 57"L

Part # W-M82-B58

8"X 2" X 5/8"
Mold-On Rubber Wheel




Deck

26-3/4" x 53-3/4"

Deck Height

11-5/8"



*Actual wheels may vary



36X72 D/H

Specifications

Capacity	1200 lbs
Weight	151.8 lbs
Size	38-1/4"H x 35-3/4"W x 75"L

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Deck

23-3/4" x 71-3/4"

Deck Height

11-5/8"



Actual wheels may vary

RETAIL

Dutro has taken their experience in quality industrial trucks and applied that knowledge to retail handtrucks. Realizing most consumers are not happy with the quality of the little red import trucks we have developed a line of long lasting yet economical handtrucks. Stop buying the disposable imports and buy a handtruck that will be ready for use for the rest of your life.

132E	55
137	56
138	57
RET50S	58
RET51S, RET51N	59
RET52S	60



132E

Specifications

Capacity	500 lbs
Weight	39.6 lbs
Size	47"H x 22-1/4"W x 18-1/4"L

Part # W-C4SP

4" Swivel Pin Caster
1/2" X 13 X 1-1/2" Stem
4"X1-1/4" X 3/8" Ball bearing gray non-marking rubber wheel



Special Features


Economy 2-Way Convertible Truck

Toe Plate Size

7-3/4" clear x 14" wide x 3/16" thick



137



Specifications

Capacity	400 lbs
Weight	26 lbs
Size	44-3/4"H x 18-3/4"W x 14-3/4"L

Special Features

Light Duty Truck

Toe Plate Size

6-3/4" clear x 14" wide x 3/16" thick

Part # W-S82.5

8" X 2-1/2" X 5/8"

Solid Rubber Wheel



Part # W-N10

10" X 3-1/2" X 5/8"

Pneumatic Wheel



138

Specifications

Capacity	400 lbs
Weight	31.8 lbs
Size	44-3/4"H x 18-3/4"W x 14-3/4"L

Special Features

Light Duty Truck with 25" Folding Nose

Toe Plate Size

6-3/4" clear x 14" wide x 3/16" thick

Part # W-S82.5

8" X 2-1/2" X 5/8"

Solid Rubber Wheel



Part # W-N10

10" X 3-1/2" X 5/8"

Pneumatic Wheel



RET50S

Specifications

Capacity	500 lbs
Weight	34.2 lbs
Size	49-1/8"H x 19-7/8"W x 18-3/8"L

Part # W-S102.75

10" X 2-3/4" X 5/8"
Solid Rubber Wheel



Special Features

Continuous Loop Handle

Toe Plate Size

7-7/8" clear x 14" wide x 3/16" thick



RET51S, RET51N



Specifications

Capacity	500 lbs
Weight	35.4 lbs
Size	50-5/8"H x 19-7/8"W x 18-3/8"L

Special Features

Single Loop Handle

Toe Plate Size

7-7/8" clear x 14" wide x 3/16" thick

Part # W-S102.75

10" X 2-3/4" X 5/8"
Solid Rubber Wheel



Part # W-PR1037

10"X3.58"2-1/4" offset hub 5/8"
Flat Free Foam Field Wheel



RET52S



Specifications

Capacity	500 lbs
Weight	34 lbs
Size	47-3/8"H x 19-7/8"W x 18-1/2"L

Special Features

Double Pin Handles

Toe Plate Size

7-7/8" clear x 14" wide x 3/16" thick

Part # W-S102.75

10" X 2-3/4" X 5/8"
Solid Rubber Wheel



SALESMAN

903	62
904	63
908M	64



*Actual wheels may vary

903

Specifications

Capacity	500 lbs
Weight	22.8 lbs
Size	44"H x 16-1/4"W x 10-1/2"L

Part # W-M52

5" X 2" X 5/8"
Mold-On Rubber Wheel



Toe Plate Size

4-3/4" clear x 12" wide x 3/16" thick



904

Specifications

Capacity	500 lbs
Weight	24 lbs
Size	44"H x 16-1/4"W x 10-1/2"L

Part # W-M52

5" X 2" X 5/8"
Mold-On Rubber Wheel



Toe Plate Size

4-3/4" clear x 12" wide x 3/16" thick
16" Fold Nose



908M

Specifications

Capacity	500 lbs
Weight	24 lbs
Size	44"H x 16-1/4"W x 13-1/4"L

Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



Toe Plate Size

4-3/4" clear x 12" wide x 3/16" thick
16" Fold Nose



*Actual wheels may vary

SERVICE

Specialty Service Carts

We offer a wide variety of specialty service carts. In addition, we can work with you to build a customized cart that fits your specific needs.

Options for Service Carts

- Brakes
- Writing Shelf
- Additional Shelves
- Inverting Pans

Light Duty Service Carts

All welded, heavy duty construction made with 14 gauge steel pans 1 1/2" deep with 4" swivel casters.

Heavy Duty Service Carts

All welded, heavy duty construction made with 14 gauge steel pans 2 3/4" deep with two 5" rigid and two 5" swivel casters. Push handle on the swivel end is standard on all heavy duty carts. Pans may be reversed on request and extra pans are available. Specify lips up or down when ordering.

18x30 HD	66
24x36 HD	67
24x48 HD	68



18x30HD

Specifications

Capacity	1200 lbs
Weight	60.4 lbs
Size	34"H x 18"W x 34-1/2"L

Pan

17-3/4" x 29-3/4"

Part # W-C5S

5" Swivel Caster
Caster and Wheel



Part # W-C5R

5" Rigid Caster
Caster and Wheel



24x36HD

Specifications

Capacity	1200 lbs
Weight	77.8 lbs
Size	34-1/8"H x 24"W x 40-3/8"L

Pan

23-3/4" x 35-3/4"
Shelves may be ordered inverted for a smooth surface.

Part # W-C5S

5" Swivel Caster
Caster and Wheel



Part # W-C5R

5" Rigid Caster
Caster and Wheel



24X48HD

Specifications

Capacity	1200 lbs
Weight	91.6 lbs
Size	34"H x 24-1/8"W x 52-5/8"L

Pan

23-3/4" x 47-3/4"

Part # W-C5S

5" Swivel Caster
Caster and Wheel



Part # W-C5R

5" Rigid Caster
Caster and Wheel



SHOVEL NOSE TRUCK

808B	70
828S 828B	71



*Actual wheels may vary

808B



Specifications

Capacity	900 lb
Weight	47lbs
Size	50"H x 19"W x 22"L

Special Features

- 1-1/4" 14-gauge tubing
- Shovel Nose Toe Plate Allows for Larger Loads
- Taller Frame Gives More Leverage Over Heavy Loads


Part # W-M82-B34

8" X 2" X 3/4"
Mold-on Rubber Wheel



Part # W-S8.52.5

8-1/2" X 2-1/2" X 3/4"
Solid Rubber Wheel



*Actual wheels may vary

828S, 828B

Specifications

Capacity	900 lb
Weight	51.4 lbs
Size	61-7/8"H x 19-3/4"W x 21-1/2"L

Special Features

- 1-1/4" 14-gauge tubing
- Shovel Nose Toe Plate Allows for Larger Loads
- Taller Frame Gives More Leverage Over Heavy Loads


Part # W-M82-B34

8" X 2" X 3/4"
Mold-on Rubber Wheel



Part # W-S8.52.5

8-1/2" X 2-1/2" X 3/4"
Solid Rubber Wheel



•Actual wheels may vary

SPECIALTY

6016-UBT6	73
6018-UBT6	74
DWC2X4-8B	75





6016-UBT

Narrow Stocking Carts

Specifications

Capacity	1500 lbs
Weight	88.2 lbs
Size	60-1/2"H x 16"W x 63-1/2"L

Deck

9-1/8" h x 16" w x 60" l

Special Features

Shelves
Non-marking wheels
Removable handles

Part # W-M62

6" X 2" X 5/8"
Mold-On Rubber Wheel



Part # W-C45

4" Swivel Caster
Caster and Wheel





6018-UBT

Narrow Stocking Carts

Specifications

Capacity	1500 lbs
Weight	95 lbs (without shelf)
Size	59-5/8" H x 18" W x 63-7/8" L

Deck

9-1/8" H x 60" L

Special Features

Optional shelf is available

Non-marking wheels

Removable handles

Part # W-M62

6" X 2" X 5/8"

Mold-On Rubber Wheel



Part # W-C4S

4" Swivel Caster

Caster and Wheel



DWC2X4

DryWall Cart

Specifications

Capacity	1600 lbs
Weight	81.6 lbs
Size	47"H x 48"W x 24"L

Deck

40"W x 12-1/4" L (inside dimension)

Part # W-M82-B58

8" X 2" X 5/8" Mold-on Rubber Wheel
5/8" Ball Bearing
Black Rubber (Hard Rubber) on Plastic Hub
Smooth Tread
Offset Hub, Hub Length: 2"
Heavy Duty Wheel Capacity: 550 lbs per Wheel



Part # W-M62

6" X 2" X 5/8"
Mold-On Rubber Wheel



*Actual wheels may vary

STOCKING CART

Once again Dutro uses only the best in components. All of our tubular stocking trucks use high end casters adding extra quality where our competitors skimp. Our new CNC tube benders assure the quality of the frame. For the very best, look to the Blue!

Dutro tubular stock carts are made of 1" 14 gauge steel tubing and the all-welded construction makes them rugged and extremely durable. The 6 wheel tilt design allows easy turning in tight warehouse spaces or grocery store back rooms. With capacities up to 1400 lbs., these powder coated American made carts are capable of maximizing bulk loads. The casters and wheels provide smooth rolling even under heavy loads. Standard color: Dutro blue – other colors available on request. Please contact your local distributor for details.

H5B, H5B-SOLID	77
LT5B	78
SM18-53	79
SM58B	80
SM5B	81



*Actual wheels may vary



H5B, H5B-SOLID

Pictured with solid top, but also available with tube top. Cart has been redesigned so rigid and swivel can be mounted to either end.

Specifications

Capacity	800 lbs
Weight	40 lb
Size	37"H x 18"W x 39-1/8"L

Deck

27-1/4"H x 13"W x 35-1/8"L

Part # W-C5SP

5" Swivel Caster
Caster and Wheel



Part # W-C5R

5" Rigid Caster
Caster and Wheel



LT5B

Specifications

Capacity	800 lbs
Weight	48.2 lb
Size	30"H x 18-1/8"W x 36-1/8"L

Part # W-C5SP

5" Swivel Caster
Caster and Wheel



SM18-53

Specifications

Capacity	1400 lbs
Weight	59 lbs
Size	39-5/8"H x 18"W x 55"L

Deck

10-7/8"H x 18"W x 50-1/8"L


Part # W-C5SP

5" Swivel Caster
Caster and Wheel



Part # W-M82-B58

8" X 2" X 5/8"
Mold-On Rubber Wheel



*Actual wheels may vary

SM58B

Specifications

Capacity	1400 lbs
Weight	55.2 lbs
Size	37"H x 18"W x 43-1/8"L



•Actual wheels may vary

Part # W-C5SP

5" Swivel Caster

Caster and Wheel



Part # W-M82-B58

8" X 2" X 5/8"

Mold-On Rubber Wheel



SM5B

Specifications

Capacity	800 lbs
Weight	59 lbs
Size	37"H x 18"W x 42-3/4"L

Part # C5SP

5" Swivel Caster
Caster and Wheel



Part # W-C5R

5" Rigid Caster
Caster and Wheel



VENDING MACHINE

Designed to make moving appliances easier, the new belt systems and swing out put Dutro's vending trucks on top of the market in durability, design and function. The new one belt retract system allows you to do the job easier.

A special series of trucks for video games and vending machines. The "Brute" will move up to 1600 lbs. The large rear wheels pivot back to handle the big load. The "Brawny Brute" also moves 1600 lbs. and is designed for use with large (over 62" tall) vending machines.

A safety wheel lock is available on models 1872-SB, 1878-SB, 1888 and 1888-78.

The lock supplied with the Brawny Brute (optional on the Brute) is only for breaking over the load when stopped on a level surface. It is not to be used as a brake for stopping, slowing or retaining the loaded or unloaded unit on either flat or sloped surfaces.

Our vending trucks are widely used by the leading bottlers.

1866	83
1872	84
1878	85
1888	86
1888-78	87



1866

Specifications

Capacity	1600 lbs
Weight	109.2 lbs
Size	66-3/8"H x 24-1/8"W x 16-1/4"L

Tilt Back Angle

Tilt-back angle of truck is 60°

Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

Part # W-M52

5" X 2" X 5/8"
Mold-on Rubber Wheel



Part # W-M10

10" X 2-1/2" X 1"
Mold-on Rubber Wheel



1872

Specifications

Capacity	1600 lbs
Weight	112.2 lbs
Size	72-1/8"H x 24-1/8"W x 16-1/4"L

Tilt Back Angle

Tilt-back angle of truck is 60°

Options

Safety Wheel Lock
Can add Safety Brake

Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick


Part # W-M52

5" X 2" X 5/8"
Mold-on Rubber Wheel



Part # W-M10

10" X 2-1/2" X 1"
Mold-on Rubber Wheel



1878



Specifications

Capacity	1600 lbs
Weight	116.2 lbs
Size	78-1/4"H x 24-1/8"W x 16-1/4"L

Tiltback Angle

Tilt-back angle of truck is 60°

Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

Options

- 1878-SB Safety Brake
- Safety Wheel Lock

Part # W-M52

5" X 2" X 5/8"
Mold-on Rubber Wheel



Part # W-M10

10" X 2-1/2" X 1"
Mold-on Rubber Wheel





1888

The Brawny Brute comes with a unique concept of attaching the ratchet arm to the load. The arm grabs firmly at the top front of the load and pulls in and down. The minimum load height 62-1/2".

An optional lower belly strap is available on all 1888 models.

Specifications

Capacity	1600 lbs
Weight	112.6 lbs
Size	72"H x 24-1/8"W x 16-1/2"L

Tiltback Angle

60°

Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

Special Features

- Overhead strap and arm
- Safety Wheel Lock

Part # W-M52

5" X 2" X 5/8"

Mold-on Rubber Wheel



Part # W-M10

10" X 2-1/2" X 1"

Mold-on Rubber Wheel





1888-78

The minimum load height 68-1/2".

Specifications

Capacity	1600 lbs
Weight	15.8 lbs
Size	78-1/4"H x 24-1/8"W x 16-1/4"L

Tiltback Angle

Tilt-back angle of truck is 60°

Toe Plate Size

4-1/2" clear x 24" wide x 1/4" thick

Special Features

Overhead strap and arm
Safety Wheel Lock

Part # W-M52

5" X 2" X 5/8"

Mold-on Rubber Wheel



Part # W-M10

10" X 2-1/2" X 1"

Mold-on Rubber Wheel



TOE PLATES

We can customize your toe plate to suit your every need.

58RMP	89
58PMP	89
48PMP	89
510PNP	89
510PNDL	89
100DLX60	89
100DLX55	89



*Actual wheels may vary



STEEL TOE PLATES

Available Steel Toe Plates

P-Style Toe Plate
Our Standard Design – Well suited for most applications.

R-Style Toe Plate
Designed for carrying round objects such as cans, pails or buckets.



58RMP
R-Style Toe Plate



510PNDL
P-Style Toe Plate



58PMP
P-Style Toe Plate



100DLX60
DLX Toe Plate



48PMP
P-Style Toe Plate



100DLX55
DLX Toe Plate



510PNP
P-Style Toe Plate

WHEELS

W – B10AOS	91
W – C4R	91
W – C4S	91
W – C4SP	91
W – C5R	91
W – C5S	91
W – C5SP	91
W – M10	91
W – M52	91
W – M62	92
W – N12	92
W – S102.75	92
W – S8.52.5	92
W – S82.5	92
W – SP8	92
W – SP10	93
W – SP12	93
W – W4	93
W – W5	93
W – M82-B58	93



WHEELS



Part # W-B10AOS

10" X 2" X 5/8"

Balloon Wheel

Part # W-C4R

4" Swivel Caster

Caster and Wheel

Special Order Only

Part # W-C4S

4" Swivel Caster

Caster and Wheel

Part # W-C4SP

4"X1-1/4" X 3/8"

Ball Bearing Rubber Wheel



Part # W-C5R

5" Rigid Caster

Caster and Wheel

Part # W-C5S

5" Swivel Caster

Caster and Wheel

Part # W-C5SP

5" Swivel Caster

Caster and Wheel

Part # W-M10

10" X 2-1/2" X 1"

Mold-on Rubber Wheel

Part # W-M52

5" X 2" X 5/8"

Mold-on Rubber Wheel



WHEELS



Part # W-M62
6" X 2" X 5/8"
Mold-On Rubber Wheel



Part # W-N12
12" X 3-1/2" X 5/8"
Pneumatic Wheel



Part # W-S82.5
8" X 2-1/2" X 5/8"
Solid Rubber Wheel



Part # W-S102.75
10" X 2-3/4" X 5/8"
Solid Rubber Wheel



Part # W-SP8
8-1/2" X 2-5/8" X 5/8"
Polyurethane Foam Wheel



Part # W-S8.52.5
8-1/2" X 2-1/2" X 5/8"
Solid Rubber Wheel



WHEELS



Part # W-SP10

10" X 3-1/2" X 5/8"

Polyurethane Foam Wheel



Part # W-SP12

13" X 2-1/2" X 3/4"

Polyurethane Foam Wheel



Part # W-W4

4" X 1-1/4"

Gray Non-Marking Rubber Wheel



Part # W-W5

5" X 1-1/4"

Gray Non-Marking Rubber Wheel



Part # W-M82-B58

8" X 2" X 5/8"

Mold-on Rubber




REPLACEMENT PARTS

P – 73, P – 10, P – 11, P – 14	95
P – 15A, P – 15B, P – 15C, P – 15E, P – 15J, P – 15P	95
P – P – 16A	95
P – 16C, P – 16E, P – 184	96
P – 18C, P – 18D, P – 18F, P – 18G, P – 18H, P – 18L, P – 18TH	96
P – 21A, P – 23	97
P – 30, P – 31, P – 32, P – 35, P – 38	97
P – 70, P – 71, P – 72	97
P – 9	98
P – Belly Strap LCB 126	98
P – Spring 1800	98



REPLACEMENT PARTS



P – 73
2" Bumper, Blue Cross Piece
1290 Appliance Trucks



P – 10
1" Handle Grip
Delivery Trucks
This product contains DEHP, a chemical known to the State of California to cause birth defects or other reproductive harm.



P – 11
1-1/4" Handle Grip
Models 1900, 3000
This product contains DEHP, a chemical known to the State of California to cause birth defects or other reproductive harm.



P – 14
Adjustable Strap Holder
Appliance Truck Ratchet Assemblies



P – 15A
14' Strap Heavy Duty 3-Ply
Appliance Trucks w/ Ratchets



P – 15B
14' Strap Heavy Duty 3-Ply w/
Roller
Model 1900



P – 15C
Roller Buckle
Appliance Trucks w/ 2 Piece Belts



P – 15E
Strap for Offset – 2 Piece
Model 1292 (2 piece belt)



P – 15J
Hook and Strap for
LC126



P – 16A
Offset Handle
Model 1291, 1292

REPLACEMENT PARTS



P – 16C
Offset Handle
Models 1866, 1872 and 1878



P – 18F
Large Wheel Swing Assembly
1800 Series Trucks



P – 16E
Offset Handle
Model 1888



P – 18G
Swing Assembly Locking Mechanism
1800 Series Trucks



P – 18Y
Connector Yoke



P – 18H
Overhead Swing Arm w/ Strap
Model 1888




P – 18C
Small Wheel Axle
1800 Series Trucks



P – 18L
Lower Latch Assembly
1800 Series Trucks



P – 18D
Small Wheel Separator Tube
1800 Series Trucks



P – 18TH
Connector Rod with T handle
1800 Series Trucks

REPLACEMENT PARTS



P – 21A
Stair Roller Complete
Appliance and Vending Machine
Trucks



P – 35
Hex Bar Ratchet Shaft
Appliance Trucks



P – 23
Stair Roller V-Belt
Part 21A – Aluminum Stair Roller



P – 38
Ratchet Complete – Less Belt
Appliance Trucks



P – 30
Ratchet Handle
Appliance Trucks



P – 70
1" Bumper, Blue Upright
Appliance Trucks




P – 31
Ratchet Handle Spring
Appliance Trucks



P – 71
1" Bumper, Blue Cross Piece
Appliance Trucks



P – 32
Gear Holding Pawl Complete
Appliance Trucks



P – 72
2" Bumper, Blue Upright
1290 Appliance Trucks

REPLACEMENT PARTS



P – P9

5/8" Handle Grip

Offset Crank Handles



P – Belly Strap LCB126

4' length



P – Spring - 1800

Spring for Brake or Swingout
assembly

